

Discharge Instructions

Video Assisted Thoracoscopy - Lung

Activity

- ◆ Gradually increase your activity. Start by walking short distances 2-3 times per day, increasing the length of time as tolerated. Avoid exercising in extreme temperatures.
- ◆ No twisting, bending, straining or strenuous activity for 6 weeks after your surgery. Do **NOT** lift anything over 5 pounds (a half gallon of milk) Examples of activities to avoid: swinging a golf club, vacuuming, and gardening).
- ◆ Do not drive for 4 weeks after surgery or while taking prescription pain medications. You may ride in a car.
- ◆ A nurse will teach you range-of-motion exercises. These exercises help stretch and strengthen the muscles on the side where you had surgery. This can keep your shoulder moving freely. It is important to continue these exercises at home.
- ◆ Avoid sitting or standing for long periods. Get up and move around every 2 hours. When sitting in a chair pump your calves, or make circles with your toes. When sitting in a chair elevate your legs above the level of your heart.
- ◆ You will take home an incentive spirometry device from the hospital. Keep it near you at home and use it 5-6 times per day for the first 2 weeks after surgery.
- ◆ If you smoke, please quit. Smoking increases your risk of developing heart disease, carotid artery disease, lung cancer, and worsens peripheral artery disease. It can also delay wound healing.

Diet/Eating

- ◆ Resume the diet you were on prior to surgery unless otherwise instructed by your physician.
- ◆ You may want to eat 5-6 small meals a day instead of 3 larger ones. Do not be surprised if you have a decreased appetite or food has no taste for a few weeks after surgery. Your ability to taste will return and your appetite will generally increase as your activity increases. If your appetite is reduced and you are not getting enough calories a day, you can try some Ensure which can be bought at most grocery stores. (If you are diabetic, Glucerna instead of Ensure should be used).
- ◆ For most people a low saturated fat and cholesterol diet which is high in fruits, vegetables, and whole grains is a good healthy diet unless you are otherwise directed by your physician.

Incisions

- ◆ Shower daily. Do **NOT** take a tub bath, use a whirlpool or swim until the incision is completely healed. For most people this will be at least 4 weeks after the surgery.
- ◆ Keep the incisions clean and dry. They can be gently washed with soap and water. Do **NOT** scrub the incisions. Pat dry with a clean towel. Dry the incisions first then the rest of your body. Use a clean towel daily.
- ◆ Your incisions will take several months to heal completely. They will feel raised and thickened along the incision lines which will slowly decrease over time. It will take several weeks for this to resolve. Do not apply lotions, ointments, creams or bandages on the incisions.
- ◆ During the first week you may notice some slight bloody drainage from the incisions. If this happens apply dry gauze to that area using a small amount of tape if needed to secure it.
- ◆ Your incisions will likely have staples. These are generally removed at the first post-operative visit.



Cardiothoracic Surgery
Navicent Health

Medications

- ◆ An updated medication list will be given to you before you leave the hospital. New prescriptions will be provided to you and education regarding new medications provided. Please take the time to read this information. It is important for you to have a good understanding of what medications you are taking.

Call Your Surgeon for Any of These Symptoms @ (478) 742-7566.

- ◆ Fever above 100.0 degrees F.
- ◆ Signs of infection (redness, swelling, drainage, or warmth) at the incision site.
- ◆ Sudden, severe shortness of breath
- ◆ Rapid heartbeat or “fluttering” in your chest.
- ◆ Unrelieved pain at the incision site
- ◆ Any unusual bleeding

Reducing your risk

- ◆ It is very important that if you smoke, you quit. Adequate management of high cholesterol, high blood pressure, and diabetes, along with maintaining a normal weight is encouraged to all of our patients. This is one of the reasons why routine follow-up with your primary care physician is very important to your continued health and well-being.

Follow-up Appointment

- ◆ A follow-up appointment will be made for you prior to leaving the hospital. It will be 2-3 weeks after your surgery. It is extremely important that you make it to this appointment for evaluation and recommendations for follow-up. Additionally, you need to make an appointment to see your primary care physician within 2 weeks of being discharged from the hospital.

Returning to Work

- ◆ Returning to work is generally discussed at the follow-up visit. If you have a desk job you may be able to return to work in 4-6 weeks, as long as you can move around frequently. If you have a job that requires physical labor you may be off work for about 6-8 weeks.



Cardiothoracic Surgery
Navicent Health